

入札公告

次のとおり一般競争入札に付します。

令和7年1月20日

分任支出負担行為担当官

国立感染症研究所

総務部業務管理課長 橋本 光彦

◎調達機関番号 017 ◎所在地番号 13

1 調達内容

(1) 品目分類番号 26

(2) 調達件名及び数量

村山庁舎で使用するガス

契約最大時間流量 $404 \text{ m}^3 / \text{h}$

年間使用予定ガス量 $1,612,000 \text{ m}^3$

(3) 調達件名の仕様等 入札説明書及び仕様書
による。

(4) 履行期間 令和7年4月1日から令和8年

3月31日

- (5) 履行場所 分任支出負担行為担当官が別途指定する場所。
- (6) 入札方法 入札金額は単価に予定数量を乗じた金額の合計を記載すること。

なお、落札決定に当たっては、入札書に記載された金額に当該金額の10パーセントに相当する額を加算した金額（1円未満の端数切り捨て）をもって落札価格とするので、入札者は、消費税に係る課税事業者であるか免税事業者であるかを問わず、見積もった契約金額の110分の100に相当する金額を入札書に記載すること。

2 競争参加資格

- (1) 予算決算及び会計令第70条の規定に該当しない者であること。なお、未成年者、被保佐人又は被補助人であっても、契約締結のために必要な同意を得ている者は、同条中、特別の理由がある場合に該当する。

- (2) 予算決算及び会計令第71条の規定に該当し

ない者であること。

(3) 厚生労働省から指名停止の措置を受けている期間中の者でないこと。

(4) 令和4・5・6年度厚生労働省競争参加資格（全省庁統一資格）において、「物品の販売」で「A」、「B」又は「C」等級に格付けされ、関東・甲信越地域の競争参加資格を有する者であること。

(5) 資格審査申請書又は添付書類に虚偽の事実を記載していないと認められる者であること。

(6) 経営の状況又は信用度が極度に悪化していないと認められる者であること。

(7) ガス事業法第3条の規定に基づきガス小売事業の登録を受けている者であること。

(8) その他予算決算及び会計令第73条の規定に基づき、分任支出負担行為担当官が定める資格を有する者であること。

3 入札書の提出場所等

(1) 入札書の提出場所、契約条項を示す場所、入札説明書の交付場所及び問い合わせ先

〒 208-0011 東京都武藏村山市学園4-

7-1 国立感染症研究所総務部施設管理課

施設運営係 電話 042-848-7110

(2) 入札書の受領期限

令和7年3月13日17時00分

(3) 開札の日時及び場所

令和7年3月14日14時00分

国立感染症研究所村山庁舎第一会議室

4 その他

(1) 契約手続において使用する言語及び通貨

日本語及び日本国通貨

(2) 入札保証金及び契約保証金 免除

(3) 入札者に要求される事項 この一般競争に

参加を希望する者は、本公告に示した業務が
履行できることを証明する書類を指定する期
日までに提出しなければならない。入札者は、
分任支出負担行為担当官から当該書類に関し
説明を求められた場合は、これに応じなければ
ならない。また、入札に参加を希望する者は、
上記証明書類とあわせて別に定める暴力

團等に該当しない旨の誓約書を提出しなければならない。

(4) 入札の無効 本公告に示した競争参加資格のない者の提出した入札書、入札者に求められる義務を履行しなかった者の提出した入札書、その他入札の条件に違反した者の提出した入札書は無効とする。また、入札に参加した者が、(3)の誓約書を提出せず、又は虚偽の誓約をし、若しくは誓約書に反することとなつたときは、当該者の入札を無効とするものとする。

(5) 契約書作成の要否 要

(6) 落札者の決定方法 本公告に示した業務を履行できると分任支出負担行為担当官が判断した入札者であつて、予算決算及び会計令第79条の規定に基づいて作成された予定価格の制限の範囲内で最低価格をもつて有効な入札を行つた者を落札者とする。

(7) 手続における交渉の有無 無

(8) その他 詳細は入札説明書による。

5 Summary

- (1) Official in charge of disbursement of the procuring entity : Mitsuhiro Hashimoto - to Administration Department, Murayama Research Buildings, National Institute of Infectious Diseases
- (2) Classification of the products to be procured : 26
- (3) Nature and quantity of the products to be purchased : Gas used in National Institute of Infections Diseases Murayama Research Buildings ; Contracted maximum flow rate 404 cubic meters / h ; Estimated annual consumption 1,612,000 cubic meters
- (4) Delivery period : From 1 April 2025 to 31 March 2026
- (5) Delivery place : The place specified by the official in charge of disbursement of the procuring entity

(6) Qualifications for participating in the tendering procedures : Suppliers eligible for participating in the proposed tender are those who shall :

- ① not come under Article 70 of the Cabinet Order concerning the Budget, Auditing and Accounting, Furthermore, minors, Person under Conservatorship or Person under Assistance that obtained the consent necessary for concluding a contract may be applicable under cases of special reasons within the said clause
- ② not come under Article 71 of the Cabinet Order concerning the Budget, Auditing and Accounting
- ③ Do not be a period receiving a nomination stop from Ministry of Health, Labour and Welfare
- ④ have Grade A, B or C on "sale of products" in the Kanto-Koshinetsu Area

in terms of qualification for participating in tenders by Ministry of Health, Labour and Welfare (Single qualification on for every ministry and agency) in the fiscal years 2022, 2023 and 2024

- ⑤ prove to have no false statement in tendering documents
 - ⑥ prove neither the business condition nor credibility is deteriorating
 - ⑦ meet the qualification requirements which the Obligating Officer may specify in accordance with Article 73 of the Cabinet Order
 - ⑧ Have got the permission as general gas utilities based on the Gas Utility Industry Law
 - ⑨ Are not being suspended from transactions by request of the officials in charge of contract
- (7) Time-limit for tender : 17:00, March

13, 2025

(8) Contact point for the notice : Facility
Management Division, National Institute
of Infectious Diseases, Gakuen 4-7-1,
Musashimurayama-shi, Tokyo 208-0011, Japan
and TEL 042-848-7110